

File No: 21/01/2025-IA.III

Government of India Ministry of Environment, Forest and Climate Change IA Division



Dated 12/09/2025



To,

Shri Madan Mohan Pandey

M/s BOCHASANWASI SHRI AKSHARPURUSHOTTAM SWAMINARAYAN SANSTHA Akshar Dham at NH - 24, off Nizamuddin Bridge, Akshardham Setu, New Delhi - 110092, EAST, DELHI, 110092

info@akshardham.com

(vii) Name of Project

Subject:

Expansion of the Cultural Complex "Akshardham" at N.H. 24, Pramukh Swami Maharaj Marg, Akshardham Setu, New Delhi - For Grant of Expansion of Environmental Clearance - reg.

Sir/Madam,

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project Expansion of the Cultural Complex "Akshardham" at N.H. 24, Pramukh Swami Maharaj Marg, Akshardham Setu, New Delhi by B.A.P.S. Swaminarayan Sanstha (Bochasanwasi Shri Aksharpurshottam Swaminarayan Sanstha) submitted to Ministry vide proposal number IA/DL/INFRA2/523717/2025 dated 15/02/2025.

2. The particulars of the proposal are as below

(i) **EC Identification No.** EC25C3803DL5319167N (ii) **File No.** 21/01/2025-IA.III

(iii) Clearance Type EC (iv) Category B2

(v) Project/Activity Included Schedule No. 8(a) Building / Construction

(vi) Sector INFRA-2

Expansion of the Cultural Complex "Akshardham"

at N.H. 24, Pramukh Swami Maharaj Marg, Akshardham Setu, New Delhi by B.A.P.S. Swaminarayan Sanstha (Bochasanwasi Shri

Aksharpurshottam Swaminarayan Sanstha)

BOCHASANWASI SHRI

(viii) Name of Company/Organization AKSHARPURUSHOTTAM SWAMINARAYAN

SANSTHA

(ix) Location of Project (District, State) EAST, DELHI

(x) Issuing Authority MoEF&CC (xi) Applicability of General Conditions no

(xii) Applicability of Specific Conditions no

- **3.** The project/activity is covered under item 8(a) 'Building and Construction project' of the Schedule to the EIA Notification, 2006 as amended, and requires appraisal at the State level. However, due to the temporary absence of SEIAA/SEAC in Delhi. As per the provisions of the Ministry OM No. IA3-22/10/2022-IA.III [E 177258] dated 02.08.2023 for appraisal at the Central level by sectoral EAC.
- **4.** Accordingly, the above-mentioned proposal for Environmental Clearance has been examined by the Expert Appraisal Committee (Infra-2) in its 139th meeting held on 05th March, 2025.
- **5.** The details of the project, as per the application form, documents submitted by the project proponent, and also as informed during the aforesaid meeting of EAC, are provided below for reference:
- (i) The project is an Expansion.
- (ii) The project is located at N.H. 24, Pramukh Swami Maharaj Marg, Akshardham Setu, New Delhi and geographical coordinates are 28°39'19.39"N Latitude and 77°18'0.11"E Longitude.
- (iii) The land was allotted by the Delhi Development Authority (DDA) vided dated 19.01.2000 & 10.01.2002 to B.A.P.S. Swaminarayan Sanstha.
- (iv) Earlier, Environment Clearance was obtained from SEIAA Delhi vide File No. DPCC/SEAC/163/SEIAA/31/2013 dated 30.07.2013 having plot area 1,75,000 sq. m, FAR/FSI area 86,249.34 sq. m and built-up area 93,853.34 sq. m (including the basement area of 7,604.00 sq. m). The maximum height of the building is 37.38 m with G+3+Mezzanine. The details of the building are as follows:

Sl. No.	It <mark>ems/ Particular</mark> s		After Amen <mark>d</mark> ment	Remarks
1	Plot area (sq. m)	1,75,000	1,75,000	No change
2	Built-up area (sq. m)	80,907.57	93,853. <mark>34</mark>	Increase
3	Green/ landscape area (sq. m)	79,222.23	79,222.23	No change
4	Unpaved Area(sq. m)	18	756.41	Increase
5	Ground Coverage(sq. m)	39,850	41,736.36	Increase
5	No. of floors	3	3	No change
6	Road Area(sq. m)	18,642.50	16,756.41	Decrease
7	Power requirement (kW)	1600	1600	No change
8	Fresh water requirement (KLD)	431	165	Decrease
9	Reuse of treated effluent (KLD)	240.0	265.0	Increase
10	Total water requirement (KLD)	e-Pa 566 ants	297	Decrease
11	Wastewater generation (KLD)	144	147	Increase
12	Capacity of STP (KLD)	175	160	Decrease
13	Solid Waste(TPD)	1.364	1.706	Increase
14	Biodegradable waste(TPD)	0.955	1.023	Increase
15	Non-Biodegradable waste(TPD)	0.409	0.683	Increase
16	No. of RWH pits	2	3	Increase
17	Project cost (Rs.)	110 Cr	134 Cr	Increase

⁽v) During the Construction Phase the total water requirement should be 09 KLD out of which 04 KLD of water should be used for anti-smog guns and 02 KLD for domestic purposes. 03 KLD should be used for construction work. Waste water

should be collected in the temporary septic tank & then should be treated in the existing STP.

- (vi) As per Previous EC during Operation Phase the total water requirement of the project should be 566 KLD out of which fresh water requirement should be 431 KLD. The total wastewater generation should be 144 KLD which should be treated in STP with a capacity of 175 KLD, the treated water of 135 KLD should be used for Gardening and miscellaneous purposes. After expansion, the total water requirement of the project should be 297 KLD out of which the freshwater requirement should be 165 KLD. The total wastewater generation should be 147 KLD, which should be treated in the existing installed STP of capacity 160 KLD. The treated water of 132 KLD should be used for Gardening, miscellaneous purposes, and Road Washing.
- (vii) About 1.70 TPD solid wastes should be generated in the project. The biodegradable waste (1.02 TPD) should be processed in the existing Organic Waste Converter and the non-biodegradable waste generated (0.68 TPD) should be handed over to authorized recyclers.
- (viii) The total power requirement during construction phase should be met from BSES and for power backup 3 DG sets (2 x 750 + 1 x 250 kVa) has been proposed and total power requirement during operation phase is 1600 kVA (Post Modification & Expansion) and should be met from BSES.
- (ix) Total proposed parking of 5,483 ECS is proposed to be provided against the requirement of 5483 ECS including four wheelers (according to local norms).
- (x) Solar panels & solar lights of 1350 KW have already been installed in the complex.6 Solar Water Heaters with a capacity of 1500 liters each have been installed.
- (x)Proposed energy saving measures would be adopted as per norms.
- (xi) The project is not proposed to be located in a Critically Polluted Area.
- (xii) The project is not proposed to be located within 10 Km boundary of any Eco Sensitive Zone.
- (xiii) No NBWL clearance is required for the project.
- (xiv) No Forest Clearance is required for the project.
- (xv) Court Cases are pending against the project as Supreme Court Civil application no. 2753 of 2020 in the Supreme Court of India.
- (xvi) Green belt development and Details of tree felling/transplantation: 79,222.23 sq. m (45.26%) (Post Modification & Expansion) of the plot area.
- (xvii) Employment potential is 16,160 nos. Development of the area by providing employment of the local people during construction and operation phase.
- (xviii) The total cost of the project is Rs. 134 Cr.
- (xix) The EMP, the proposed total Capital Cost is 586 lakh and Recurring Cost is 4.365 lakh/year (During construction phase) and during operation phase 44.6 lakh/year.
- (xx) The Benefits of the project is Employment Generation.
- **6.** The committee has noted that the earlier environmental clearance was obtained from SEIAA Delhi vide File No. DPCC/SEAC/163/SEIAA/31/2013 dated 30.07.2013 for the expansion of project located at N.H. 24, Pramukh Swami Maharaj Marg, Akshardham Setu, New Delhi with total built-up area is 80,907.57 sq. m.
- 7. The committee observed that existing complex have two Satsang Centers/ sabha Mandap which facilitates collectively a comprehensive spiritual, cultural, and educational experience for visitors. Now, one of the satsang sabha centre is proposed to be demolished which is currently have an area of 2,954.228 sq. m with G+1 floor. It is proposed to construct with expanded area of 15,900 sq. m with G+3+Mezzanine. This will increase the built up area from 80,907.57 sq. m to 93,853.34 sq. m. Thus, the PP has applied through PARIVESH portal for seeking in Environmental Clearance.
- **8.** Further, the committee noted that approximately 56.5 tons of C&D waste will be generated form the above said demolition. The committee has directed to the PP that all the construction and demolished waste should be segregated and managed as per C&D Waste Management Rules, 2016 as amended. It was desired that C&D waste shall be disposed of, as per the statutory norms and its in-situ utilization be explored to minimize the emission of transportation.
- **9.** In addition, the Project proponent has obtained Certified Compliance Report (CCR) from the Ministry's Regional Office-Lucknow vide dated 28.10.2024 as per the Ministry OM dated 08.06.2022 and the committee examined that all the EC conditions have been complied. Although, it was observed that the capacity of Sewage Treatment Plan shall be increased upto 175 KLD as per earlier condition in existing EC. Apart from, the number footfall is likely to increase during peak time. No discharge shall be released from the complex/premises.

- 10. Furthermore, the committee also observed that there is no tree cutting involve in the proposed project and in case of any changes applicable rules of Delhi Preservation of Trees Act, 1994 and the existing orders of the Hon'ble Supreme Court for tree cutting and transplanting shall be followed. In addition, the committee desired that rooftop solar systems for every building shall be installed within 2 years of the issuing of the EC to use it internally since there is much scope of roof top solar systems in the complex. Already 1350 KW solar panels and solar lights has been installed which is connected to Grid.
- 11. Moreover, the committee also noted that the Environmental Management Plan (EMP) and allocated the proposed funds for environmental managing activities. The committee observed that proposed EMP total Capital Cost is Rs. 586 lakhs and the Recurring Cost is Rs. 4.365 lakh/year (During the construction phase) and Rs. 44.6 lakh/year (during the operation phase). In addition, PP should ensure mechanized sweeping along with water spraying to reduce suspended road dust. Total 79,222.23 sq. m (45.27%) has already been developed inside and outside of the complex. 9,500 no. of trees/ Shrubs are already planted at the site. In addition, the PP should plant 200 trees within the plot area. In addition, the PP strictly follows Graded Response Action Plan (GRAP) Guidelines from time to time for the Delhi & NCR area and as per extant directions of CPCB/ CAQM with due compliance of directions issued under GRAP.
- 12. The EAC, based on the information submitted and clarifications provided by the Project Proponent and detailed discussion held on all the issues, recommended granting Environmental Clearance to the proposed expansion project, under the provisions of EIA Notifications, 2006 and its amendments therein, subject to the following specific conditions and other Standard EC Conditions as specified by the Ministry vide OM dated 04.01.2019 for the said project/activity.
- 13. Based on recommendations of EAC, the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the Expansion of the Cultural Complex "Akshardham" at N.H. 24, Pramukh Swami Maharaj Marg, Akshardham Setu, New Delhi– For Grant of Expansion of Environmental Clearance by M/s B.A.P.S. Swaminarayan Sanstha (Bochasanwasi Shri Aksharpurshottam Swaminarayan Sanstha), under the provisions of EIA Notifications, 2006 and its amendments therein, subject to the following specific conditions and other Standard (General) EC Conditions as specified by the Ministry vide OM dated 04.01.2019 for the said project/activity enclosed as Annexure
- **14.** This issues with the approval of the Competent Authority.

Copy To

- 1. The Principal Secretary, Environment Department, Government of National capital territory Delhi, Environment Department 6th Level, C-Wing, IP Estate, Delhi Secretariat, Delhi 110002.
- 2. The DDG (C), Ministry of Environment, Forest and Climate Change, Regional Office (WZ), Kendriya Bhawan, Sector H, Sector-A, Aliganj, Lucknow, Uttar Pradesh 260224
- 3. The Member Secretary, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi 110 032.
- 4. The Member Secretary, Delhi Pollution Control Committee, Building, 6th floor, C wing, Delhi Secretariat, I P Estate, Delhi 110 002.
- 5. Monitoring Cell, MoEF&CC, Indira Paryavaran Bhawan, New Delhi.
- 6. Guard File/ Record File/ Notice Board/MoEF&CC website.

Annexure 1

Standard EC Conditions for (Building / Construction)

1. Statutory Compliance

S. No	EC Conditions
1.1	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
1.2	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.
1.3	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
1.4	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
1.5	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
1.6	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
1.7	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
1.8	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
1.9	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
1.10	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

2. Air Quality Monitoring And Preservation

S. No	EC Conditions
2.1	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
2.2	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
2.3	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.

S. No	EC Conditions
2.4	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
2.5	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
2.6	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
2.7	Wet jet shall be provided for grinding and stone cutting.
2.8	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
2.9	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
2.10	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
2.11	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
2.12	For indoor air quality the ventilation provisions as per National Building Code of India.

3. Water Quality Monitoring And Preservation

S. No	EC Conditions
3.1	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
3.2	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
3.3	Total fresh water use shall not exceed the proposed requirement as provided in the project details.

S. No	EC Conditions
3.4	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
3.5	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
3.6	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
3.7	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
3.8	Use of water saving devices/fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
3.9	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
3.10	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
3.11	The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
3.12	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
3.13	All recharge should be limited to shallow aquifer.
3.14	No ground water shall be used during construction phase of the project.
3.15	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
3.16	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.

S. No	EC Conditions
3.17	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
3.18	No sewage or untreated effluent water would be discharged through storm water drains.
3.19	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
3.20	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
3.21	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

4. Noise Monitoring And Prevention

S. No	EC Conditions
4.1	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
4.2	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
4.3	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

5. Energy Conservation Measures

S. No	EC Conditions
5.1	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
5.2	Outdoor and common area lighting shall be LED.
5.3	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate

S. No	EC Conditions
	fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
5.4	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
5.5	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
5.6	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

6. Waste Management

S. No	EC Conditions
6.1	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
6.2	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
6.3	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
6.4	Organic waste compost/Vermiculture pit/Organic Waste Converter within the premises with a minimum capacity of 0.3 kg/person/day must be installed.
6.5	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
6.6	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
6.7	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
6.8	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.

S. No	EC Conditions
6.9	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
6.10	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

7. Green Cover

S. No	EC Conditions
7.1	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
7.2	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
7.3	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
7.4	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

8. Transport

S. No	EC Conditions
8.1	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation.
8.2	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.

9.

S. No	EC Conditions
9.1	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

10. Human Health Issues

S. No	EC Conditions
10.1	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
10.2	For indoor air quality the ventilation provisions as per National Building Code of India.
10.3	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
10.4	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
10.5	Occupational health surveillance of the workers shall be done on a regular basis.
10.6	A First Aid Room shall be provided in the project both during construction and operations of the project.

11. Miscellaneous

S. No	EC Conditions
11.1	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
11.2	ii. environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
11.3	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.

S. No	EC Conditions
11.4	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
11.5	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
11.6	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
11.7	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report
11.8	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
11.9	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
11.10	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
11.11	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP reportand also that during their presentation to the Expert Appraisal Committee.
11.12	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
11.13	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
11.14	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
11.15	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
11.16	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The

S. No	EC Conditions
	project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
11.17	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
11.18	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

12. Specific Conditions

S. No	EC Conditions
12.1	PP shall comply with direction/judgment w.r.t to Civil Appeal no. 2753 of 2020 as when it is decided.
12.2	No tree cutting is permitted for the instant project. The project proponent shall follow the Delhi Preservation of Trees Act, 1994 and the existing orders of the Hon'ble Supreme Court for tree felling/cutting and transplanting.
12.3	The PP should install rooftop solar systems for every building within 2 years of the issuing of the EC, which power to use for own purpose.
12.4	PP shall comply with Environment Management Plan i.e total Capital Cost is Rs. 586 lakhs and the Recurring Cost is Rs. 4.365 lakh/year (During the construction phase) and Rs. 44.6 lakh/year (during the operation phase).
12.5	PP shall complete the entire plantation as per the plan before the occupancy certificate is issued. The local authority should verify the Green Belt area before issuing the occupancy certificate and consent to operate (CTO).
12.6	PP shall strictly follow the Graded Response Action Plan (GRAP) Guidelines for Delhi & NCR area.
12.7	The project proponent shall obtain the Fire Safety certification from Fire Department and also height clearance from the concern Authority of India and submit the same to the concerned Regional Office of the Ministry within six months of the issue of the EC letter.
12.8	No groundwater shall be extracted for the project and PP shall only use surface water and pipeline network with State Government.
12.9	Freshwater requirements shall not exceed 165 KLD during the operational phase.

S. No	EC Conditions
12.10	As proposed, wastewater shall be treated onsite in STP of 175 KLD capacity.
12.11	The project proponents would commission a third-party study on the implementation of conditions related to the quality and quantity of recycling and reuse of treated water, the efficiency of treatment systems, the quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.
12.12	Area for greenery shall be provided as per the details provided in the project document i.e., the area under plantation / greenery should be 79,222.23 sq. m (45.27%) has been already developed inside and outside of the complex. 9,500 no. of trees/ Shrubs are already planted at the site. In addition, the PP should plant 200 native trees within the plot area.
12.13	Project Proponent shall strive to enhance the Green Belt beyond 45.27% and that the trees planted in this regard would be planted under the campaign "एक पेड़ माँ के नाम" and the details of the trees planted would be uploaded on the portal https://merilife.nic.in .
12.14	The local bye-law provisions on rainwater harvesting should be followed. If local bylaws provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Housing and Urban Affairs (erstwhile Ministry of Urban Development), Model Building Byelaws, 2016. As proposed, 3(2 existing + 1 proposed) Rainwater Harvesting pits (Post Modification & Expansion) should be proposed for artificial ground water recharge in pond.
12.15	The solid waste shall be duly segregated into biodegradable and non-biodegradable components and handled in separate areas earmarked for segregation of solid waste, as per SWM Rules, 2016.
12.16	As committed, biodegradable waste shall be utilized through the OWC to be installed within the site. Inert waste shall be disposed of as per norms at the authorized site.
12.17	Construction & Demolition (C&D) waste shall be segregated and managed as per C&D Waste Management Rules, 2016.
12.18	As committed Parking facility is 5483 ECS are to be provided.
12.19	Proponent shall ensure the installation of solar lights to for energy saving measures would save about 10% of power.
12.20	The Environmental Clearance to the project is primarily under provisions of EIA Notification, 2006.

S. No	EC Conditions
	The Project Proponent is under obligation to obtain approvals / clearances under any other Acts / Regulations or Statutes as applicable to the project.
12.21	The project proponent shall essentially comply with all parking norms and standards as applicable.
12.22	Proponent shall ensure that requirements of accessibility particularly universal accessibility and more particularly pedestrian requirements are provided. Street and road sections should have a mandatory provision of cross-section elements and footpaths so as to minimize the shift from walk mode to vehicular mode to have the least impact on energy and the environment.
12.23	The project proponent shall ensure that there is more than one entry / exit from different directions however, it should be checked that it does not create road safety hazards.
12.24	Projects shall obtain the environmental safeguards required for the establishment of the Project/Activity, from the concerned SPCB/PCC within 30 days of this OM, after payment of requisite fees. The same shall be appended to the EC later and the project proponent shall file six monthly compliance for the safeguards, along with the EC conditions. SPCB shall follow the provisions of Ministry's OM dated 14th January, 2025.

Additional EC Conditions

N/A